




Statewide AEM Survey Project Status



- Surveys 95% complete.
- 15,000 line-miles of AEM data collected.
- 78 groundwater subbasins surveyed.
- 14 final Data Reports published.
- 13,000 high-quality, digitized lithology logs
- 1,200 high-quality digitized e-logs




AEM Survey & Data Release Schedule




Survey Area	Survey Area Description	Survey Date	Data Availability Status
1	Salinas Valley & Cuyama	August 2021	Complete dataset
2	Northern Basins	November 2021	Complete dataset
3	Northern SF Bay, Ukiah, Big Valley	November 2021	Complete dataset
4	Southern San Joaquin	December 2021 & March 2022	Complete dataset
5	Central San Joaquin	March 2022	Complete dataset
6	Northern San Joaquin & Southern Sacramento	April 2022	Complete dataset
7	Northern Sacramento, Eel River, Sierra	May 2022	Complete dataset
8	Monterey Bay Area	November 2022	AEM only & Supporting Data
9	San Luis Obispo & Santa Barbara County Areas	October 2023	None
10	Salton Sea & Eastern Sierra Areas	November 2023	None

AEM Method and Resistivity Profile

Send signals into earth and the measure the EM response





Less Resistive: fine grain-dominated materials or high TDS More Resistive: coarse grain-dominated materials

Depth of investigation: ~1,000 feet Vertical resolution:


Shallow: ~10 feet Deep: ~100 feet

AEM Interpretation for Lithology/Texture


AEM data interpreted from resistivity to lithology using *supporting data*

Existing supporting data:

- Lithology logs
- Geophysical data
- Groundwater quality (TDS)
- Groundwater levels




Digitized Supporting Data



https://experience.arcgis.com/experience/a6d250e7ef5846e283053430848213ce


Data Report and Dataset Publication



Organization Dataset Topics O Activity Stream Showcases **Data and Resources** Read Me - DWR Disclaime III Preview ⊕ Download DWR's dataset and Data Report use disclaime Survey Area Map 🍐 Map showing Survey Areas AEM Flight Line Map A California Department III Preview ☑ Go to resource Map showing the AEM survey flight lines where data have been collected to date. of Water Resources DWR manages all Preview California's water Overview of Tools The Voxel Data Viewer, AEM Profile Viewer, and AEM Data Viewer are innovative resources, systems, and infrastructure, including Supporting Data Map 🍦 the State Water Project Supporting Data An important part of the AEM data processing, inversion, and interpretation is... (SWP), in a responsible Electrical Resistivity Depth Slices and Shallow Subsurface Average Maps 🎄 sustainable way. read More Info
 Download This zinged shapefile provides maps showing electrical resistivity (ohm-meters) depth slices and more Texture Interpretation (Coarse Fraction) Depth Slices and Shallow ... 🍐 More Info
 Download This shapefile represents texture data interpretations (as coarse fraction) provided as depth. Social Survey Area 1 - Salinas Valley Data Report A ☑ Twitter Data Report for the Salinas Valley portion of Survey Area 1. File updated on 5/31/2022. Facebook Survey Area 1 - Salinas Valley Data Report Appendices 🍐 More Info ⊕ Download Appendices for the Salinas Valley Data Report, File updated on 5/31/2022 Survey Area 1 - Salinas Valley Fact Sheet III Preview ⊕ Download


Datasets published on a rolling basis.


Typical between 3 to 12 months after surveys complete



https://data.cnra.ca.gov/dataset/aem

Data Report and Dataset Publication





into ArcPro as Point Clouds with

no depth exaggeration.

More Info

More Info

More Info

Download

⊕ Download

Download

Data Visualization Tools



Open Data Organizations Topics Training

Log in Sign up Contact

Home / Organizations / California Department of ... / DWR Airborne ...

DWR Airborne Electromagnetic (AEM) Surveys Data

7 Followers

AEM Data Viewers

DWR has developed AEM Data Viewers to provides a quick and easy way to visualize the AEM electrical resistivity data and the AEM data interpretations (as texture) in a three-dimensional space. The most recent data available are shown, which my be the provisional data for some areas that are not yet finalized. The Data Viewers can be accessed by direct link, below, or from the Data Viewer Landing Page: https://data.cnra.ca.gov/dataset/aem/resource/29c4478d-fc34-44ab-a373-7d484afa38e8

AEM 3D Viewer (Beta) (computer only): https://dwr.maps.arcqis.com/apps/instant/3dviewer/index.html?appid=f781b14f42ab45e5b72f32cf07af899c

AEM Profile Viewer: https://dwr.maps.arcgis.com/apps/instant/attachmentviewer/index.html?appid=65f0aa6db8124aeda54e1f33c5dfe66c

AEM Depth Slice and Shallow Subsurface Average Maps

As a part of DWR's upcoming Basin Characterization Program, DWR will be publishing a series of maps and tools to support advanced data analyses. The first of these maps have now been published and provide analyses of the Statewide AEM Survey data to support the identification of potential recharge areas. The maps are located on the SGMA Data Viewer (under the Hydrogeologic Conceptual Model tab) and show the AEM electrical resistivity and AEM-derived texture data as the following:

- Shallow Subsurface Average: Maps showing the average electrical resistivity and AEM-derived texture in the shallow subsurface (the top approximately 50 feet below ground surface). These maps support identification of potential recharge areas, where the top 50 feet is dominated by high resistivity or coarse-grained materials.
- Depth Slices: Depth slice automations showing changes in electrical resistivity and AEM-derived texture with depth. These maps aid in delineating the geometry of large-scale features (for example, incised valley fills).

Shapefiles for the formatted AEM electrical resistivity data and AEM derived texture data as depth slices and the shallow subsurface average can be downloaded here:

Electrical Resistivity Depth Slices and Shallow Subsurface Average Maps: https://data.cnra.ca.gov/dataset/aem/resource/7d115ac3-d7b8-47fa-ab8b-a078b2525bbe

Texture Interpretation (Coarse Fraction) Depth Slices and Shallow Subsurface Average Maps: https://data.cnra.ca.gov/dataset/aem/resource/0952506a-1ad8-4c04-9372-ded45148e6a6

SGMA Data Viewer (Hydrogeologic Conceptual Model tab) - Depth Slices and Shallow Subsurface Average Maps: https://sgma.water.ca.gov/webgis/?appid=SGMADataViewer#hcm

Data Visualization Tools



Open Data Organizations Topics Training

Log in Sign up Contact

Home / Organizations / California Department of ... / DWR Airborne ... / AEM Data Viewers

AEM Data Viewers

Overview of Tools

The AEM 3D Viewer and AEM Profile Viewer are innovative tools that allows GSAs and stakeholders to view AEM datasets online. The GIS-based tools allow datasets can be viewed in a three-dimensional space and allows the user to interact with the data by zooming in and viewing the data from various angles. The or mobile phone and does not require data to be downloaded or the use of specialized software.

AEM Electrical Resistivity

AEM electrical resistivity data shows the distribution of electrical resistivity values within the aquifer, where electrical resistivity describes a mat current. Generally, materials with higher electrical resistivity values correspond to coarse-grain dominated materials, like sands and gravels. Gresistivity values correspond to fine-grain dominated materials, like silts and clays, or materials saturated with fluids that have a high concentrator seawater.

AEM Texture Data

AEM electrical resistivity data are interpreted for sediment texture, described as coarse fraction. The interpretation is supported by incorporatin logging data into the transform. (AEM Texture Data to be added to the AEM 3D Viewer soon!)

AEM 3D Viewer (Beta)

The AEM 3D Viewer shows AEM electrical resistivity values displayed as voxels. The voxel space can be navigated using the navigation widge created using the slice widget.


The map insert in the right pane shows the average electrical resistivity values in the shallow subsurface (0-17 m). Zoom into the map to show high-quality lithology and geophysical logs. Click on the survey line segments to show pop-ups of segment profile images. Click on the profile is a new window.

Link to full screen AEM 3D Viewer (computer only): https://dwr.maps.arcgis.com/apps/instant/3dviewer/index.html?appid=f781b14f42ab45e5b7

AEM Profile Viewer

The AEM Profile Viewer allows the user to click on profile line segments and show the electrical resistivity profile images in the panel on the rig electrical resistivity values in the shallow subsurface (0-17 m), the location of survey line segments, and locations of high-quality lithology and line segments to show the profile images.

Link to full screen AEM Profile Viewer: https://dwr.maps.arcqis.com/apps/instant/attachmentviewer/index.html?appid=65f0aa6db8124aeda54e




Open Data Portal page access: https://data.cnra.ca.gov/dataset/aem
AEM 3D Viewer (direct link):https://dwr.maps.arcgis.com/apps/instant/3dviewer/index.html?appid=f781b14f42ab45e5b72f32cf07af899c


Statewide AEM Survey **Electrical Resistivity** Electrical Resistivity (ohm-m) Carson City Lompoc Lancaste Shallow Subsurface Average Map Santa Barbara

AEM data are processed as ESRI Voxel datasets. 3D Voxel dataset can be viewed from various angles and the Slicer widget allows the user to view data profiles and depth slices. The insert map shows the shallow subsurface average. Zooming in shows locations of high-quality lithology and e-logs and flight line segments. Profile images are shown in popups for flight line segments.




AEM Profile Viewer






SGMA Data Viewer: AEM Texture Depth Slices




https://sgma.water.ca.gov/webgis/?appid=SGMADataViewer

SGMA Data Viewer: AEM Texture Shallow Subsurface Average



Potential Managed Aquifer Recharge Locations

SGMA Data Viewer: AEM Texture Depth Slices



California's Groundwater Connected Activities

Requirements

CA Water Code 10720.1, 10729, 10920, 12924 Focus - SGMA Basins Water Resilience Portfolio, Water Supply Strategy,



DWR is Required to Publish B-118, Characterize Groundwater Basins, and Provide Assistance

California's Groundwater (Bulletin 118) (Archive & Vision)



DWR's Basin Characterization (Analysis)



Statewide AEM Surveys

Regional Subbasin Reports

Texture Modeling **HydroStrat** Analysis

Data Type

Address Basin

HR

Statewide

SGMA Data Viewer

CalGW

Live

CalGW Subbasin Reports

2D/3D Data Viewer

Public

Audience

echnical

Open Data

C2VSim Local Models

DWR's Data Collection and Stewardship (Access)

OSWCR

CASGEM

Geophysics Statewide AFM Infill AEM tTEM/FloaTEM NMR/e-logs

Wells Locations Lithology Well Details Dry Wells

GW Levels **GW Stations** GW Measurements

InSAR CGPS Extensometers

Subsidence

DWR Board WQ

Local and Regional Basin Characterization

Crop Mapping Statewide County Level

Land Use

New Groundwater Monitoring Funding

DWR's Basin Characterization Program

DWR is required to provide assistance, characterize groundwater basins, and update California's Groundwater (Bulletin 118).

SGMA, Recharge, & GW Applications

- Primary Aquifers
- Extent of Clays
- Recharge Sites
- SW/GW Interaction
- Subsidence Potential
- · Base of Fresh Water
- Vulnerable Domestic Wells
- Salinity Mapping

Community of Practice


- Public
- Academia Private Sector
- Local, State, & Federal Agencies
- Basin Characterization workgroup

Continued **Data Collection**







Integrated Analysis of All Subsurface Data



Statewide Texture Model & Hydrostratigraphic Model




Data Access & Visualization



Data Archive

California's Groundwater



Continued Data Collection (& Compilation)

Reconnaissance grid

Statewide AEM Surveys

Characterize large-scale aquifer properties




SGMA Implementation Pilot Studies

Address SGMA implementation initiatives at local scale

Compilation & Digitization of Existing Data

GSP/Alt/Adj Hydrogeologic Conceptual Models





Pilot Study 1: Groundwater Recharge




Pilot Study 2: SW/GW Interaction



Pilot Study 3: DACs/Domestic Wells/Subsidence



Data Publication




Data made available on

- CNRA Open Data Portal
- SGMA Data Viewer
- Dedicated Viewers

(GW) Well-graded gravel with sa

(ML) Sit

(CL) Lean cla



0 - 25 ft


25 - 50 ft


50 - 60 ft

60 - 70 ft


SGMA Data Viewer Improvements

AEM Surveys





- Dataset and links to data viewers available on Open Data Portal at: https://data.cnra.ca.gov/dataset/aem
- Supporting data from AEM surveys and other efforts
 - Import of digitized well log data to Online System of Well Completion Reports (OSWCR) - ongoing





Texture Models

Land Subsidence
Interconnected Surface Water

USGS CVHM2 Texture Data


AEM Resistivity and Texture Data







Depth Slice Views

3D Voxel Views








Goal: Development of stewardship, standards, and tools for integration of ALL subsurface data into interpretation

- Lithology logs
- Geophysical logs
- AEM
- InSAR
- Ground-based geophysics
- Water levels
- Water quality

2D/3D Texture Model Tool Includes Aquifer Parameters

Hydrostratigraphic Model Tool

Additional Basin Characterization-Related Efforts









California Department of Conservation

California Geological Survey















Basin Characterization (Tentative) Timeline



Basin Characterization Pilot Studies


Continued Technical Engagement

2024 2025 2026 2027 2028


AEM Recon Grid

Statewide Scale

Advanced Data Viewer




California's Groundwater 2025



Analysis Tools
Publicly
Available



Statewide Texture and Hydrostratigraphic Model



Basin Characterization Workgroup

Federal and State Partners

Academia and Research Agencies

Community and Environmental Partners

Groundwater Sustainability Agencies and Local Partners

USGS and CA Geological Survey

Existing DWR Recharge and Modeling Workgroups

DWR and Consultant Team

